· · · · · · · · · · · · · · · · · · ·					
*RETURN TO FMF - LOCATION 7540 AT COV					
QUERY CONTROL FORM	NAAV	2010	RTIS UBE ONLY		
Application No	O O Prepared	by D	Tracking Number		
Examiner-GAU	CK Date	2-28-04	Week Date		
No. of queries					
Allen Chief Boffsperson					
		IACKET	1		
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449		
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b		
c. Continuing Data	h. Microfiche Appendix	m. Searched Colum			
d. PCT e. Domestic Priority	i. Title j. Claims Allowed	n. PTO-270/328 o. PTO-892	s. Sheets/Figs t. Other		
e. Domesuc Frionty	j. Olailis Allowed	0. F10-032	t. Onlei		
SPECIFICATION	MESSAGE SHEET	5/P6S			
a. Page Missing	1)-	trailres 2.4	1.6 nove laint		
b. Text Continuity		THES.			
c. Holes through Data		Nen	e Mesolul		
d. Other Missing Text					
e. Illegible Text					
f. Duplicate Text			•		
g. Brief Description					
h. Sequence Listing					
I. Appendix			· · · · · · · · · · · · · · · · · · ·		
j. Amendments			••		
k. Other					
CLAIMS					
a. Claim(s) Missing					
b. Improper Dependency	•				
c. Duplicate Numbers			Manks ,		
d. Incorrect Numbering		<u> </u>	initials		
e. Index Disagrees	RESPONSE	SEE ATTACH	MENT		
f. Punctuation	\				
g. Amendments		PTO 948	,		
h. Bracketing		•			
i. Missing Text					
j. Duplicate Text					

initials

k. Other



UNITED STATES PATENT AND TRADEMARK OFFICE

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

APPLICATION NUMBER FILING/RECEIPT DATE FIRST NAMES APPLICANT ATTORNEY DOCKET NUMBER PARK, BYOUNG JIN 2598/0K012

DARBY & DARBY P.C. 805 Third Avenue New York NY 10022 Examiner BERCK, KENNETH

<u>Art Unit</u> 2879

Paper Number

Date Mailed: 03-26-04

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 11-16-01 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLEUNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

Joshua D. Chase

Office of Patent Publication,

Publishing Division

m N. Chara

703-305-8404

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, 37 CFR 1.84(f) Lead lines missing. Fig(s) fashion when page is either upright or turned that the top becomes the right side, except for graphs. Fig(s) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(n) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p) Numbers and reference char	1. DRAWINGS. 37 CFR 1.84(a): Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must mete paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (BIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(f)): Acceptable margins: Top (T) Left (L) Right (R) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		Words do not appear on a horizontal, left-to-righ
granted. Fig(s) Pencit and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Sarype OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Solid black sareas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Solid black surface shading is not permitted when used to the same direction as the view. 37 CFR 1.84(p)(3) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Fig(· · · · · · · · · · · · · · · · · · ·	
Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(f): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable size. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sheets not numbers deviated the same direction as the view. 37 CFR 1.84(p): Fig(s) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Fig(s) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Fig(s) Fig(s) Lead lines missing. Fig(s) Shumbers letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p): Sheets not numbered consecutively, and in Ara rumbers beginning with number 1. Sheet(s) Sheet(s		• • • • • • • • • • • • • • • • • • • •
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not acceptable. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black area pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Section to drawing charges, e.g., if Fig. 1 is changed to Fig. 1A. Fig Is B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be chânged. Yew so to labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not perm	granted. Fig(s).	
One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 quality). Fig(s) Lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 quality). Fig(s) Lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 lines, numbers & letters not uniformly thick a well defined, clean, d		
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Lines, numbers & letters not uniformly thick a well defined, clean, durable, and black (poor 1 quality). Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same d		
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Lumbers and reference characters not plain an legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 14. NUMBERING OF FI 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(p) Sheets not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black strading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not o		
37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lending for views and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 1.8. HARGINS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Solid black strace shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		• •
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings: interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Fig(s) Fig(s) Solid black area pale. Fig(s) Numbers and reference characters not plain an legible. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black srasa pale. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Solid black sreas pale. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Solid black srease pale. Fig(s) Solid black area fig(s) Solid b		
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 14, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) MINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 14, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) MINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 13, Fig. 18 and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Solid black reas pale. Fig(s) Numbers al retrues. Fig(s) Numbers al retrues. Fig(s) Numbers al retrues. Fig(s) Numbers al retrue		
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A. Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be chânged. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers, A REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(q) Lead lines missing. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Sheet(s) Solid black sarding shown not appropriate. Fig(s) Solid black sarding is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(q) Lead lines missing. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(q) Lead lines missing. Fig(s) Solid black shading not permitted. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(p)		
Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be chânged. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Associated areas pale. Fig(s) Solid black areas pale. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Ara numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Solid black sardiang shown not appropriate. Fig(s) 15. NUMBERS, derence characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Solid black sardiang shown not appropriate. Fig(s) 15. NUMBERS, derence characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lenglish alphabet not used. 37 CFR 1.84(p)(2) Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(q) Lead lines missing. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Solid black sardace shading is not permitted ex when used to represent the col		11. SHADING. 37 CFR 1.84(m)
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be chánged. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must ateasm direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must ateasm direction as the view. 37 CFR 1.84(p)(2) Fig(s) 1.84(p)(3) Fig(s) 15. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(p)(2) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) 15. NUMBE		Solid black areas pale. Fig(s)
sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) In June 1. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) Substance the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 3. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 2. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 3. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 3. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 3. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 3. Selection as the view. 37 CFR 1.84(p)(2) Fig(s) In June 3. Selection as the vi		
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)	4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable	
21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Ara numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	•	* * *
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Selfic or Roman numbers. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(p)(2) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)	· · · · · · · · · · · · · · · · · · ·	
Sheet(s)	· · · · · · · · · · · · · · · · · · ·	V
the same direction as the view. 37 CFR 1.84(f) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T)	_	
5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	· /	
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Benglish alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Ara numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Margins not acceptable. Fig(s) Top (T)Left (L)Right (R)		
Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Aranumers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	•	
Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1.84(p)(3). Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Aranumerals, beginning with number 1. Sheet(s) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		· · · · · · · · · · · · · · · · · · ·
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Aranumerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)	•	
must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the	14. NUMBERING OF SHEETS OF DRAWINGS
	specification, at the Brief Description of the Drawings,	
Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		Sheets not numbered consecutively, and in Arab
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Views not labeled separately or properly.	
Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Brack Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Fig(s)	
Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)	
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Sectional designation should be noted with	
Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	
Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
when used to represent the color black as well color contrast. Fig(s)		Solid black surface shading is not permitted exce
color contrast. Fig(s)		when used to represent the color black as well as
	OMMENTS:	
wer	have questions, call (703) 305-8404.	Attachment to Paper No.